

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/IL04/000994

International filing date: 31 October 2004 (31.10.2004)

Document type: Certified copy of priority document

Document details: Country/Office: IL
Number: 158675
Filing date: 30 October 2003 (30.10.2003)

Date of receipt at the International Bureau: 12 January 2005 (12.01.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse





מדינת ישראל
STATE OF ISRAEL

Ministry of Justice
Patent Office

משרד המשפטים
לשכת הפטנטים

This is to certify that
annexed hereto is a true
copy of the documents as
originally deposited with
the patent application
particulars of which are
specified on the first page
of the annex.

זאת לתעודה כי
רצופים בזה העתקים
נכונים של המסמכים
שהופקדו לכתחילה
עם הבקשה לפטנט
לפי הפרטים הרשומים
בעמוד הראשון של
הנספח.



נתאשר
Certified

לשימוש הלשכה
For Office Use

חוק הפטנטים, תשכ"ז - 1967
PATENT LAW, 5727 - 1967

ב ק ש ה ל פ ט נ ט
Application for Patent

מספר: Number	158675
תאריך: Date	30-10-2003
הוקדם/נדרחה Ante/Post-dated	

אני, (שם המבקש, מענו ולגבי גוף מאוגד - מקום התאגדותו)
I (Name and address of applicant, and in case of body corporate-place of incorporation)

Inventor:
Zvi Barzilay

Dagan Automation Advanced
Applications (2002) Ltd.
Moshav Haniel 42865
Israel

דגן אוטומציה יישומים
מתקדמים (2002) בע"מ
חושב חניאל 42865

Assignment העברה

שמה הוא _____ בעל אמצאה מכח
of an invention the title of which is Owner, by virtue of

לוח פלסטי (בעברית)
(Hebrew)

Plastic Board (באנגלית)
(English)

hereby apply for a patent to be granted to me in respect thereof.

מבקש בואת כי ינתן לי עליה פטנט

• בקשת חלוקה • Application of Division		• בקשת פטנט מופף • Application for Patent Addition		• דרישה דין קדימה • Priority Claim	
מבקשת פטנט from Application		לבקשה/לפטנט to Patent/Appl.		מספר/סימן Number/Mark	תאריך Date
No. _____ dated _____		No. _____ dated _____			
P.O.A.: general/individual-attached/to be filed later- הוגש בענין _____ filled in case _____		המען למסירת סטמכים בישראל Address for Service in Israel מרק זוטא משרד עורך פטנטים ת.ד. 2162, רח' בן יהודה 19 פתח תקוה 49120			
חתימת המבקש Signature of Applicant		היום This		2003 שנה 10 בחודש 28 of the year of	
מרק זוטא, עורך פטנטים Marc Zuta, Patent Attorney				לשימוש הלשכה For Office Use	

סומס זה, כשהוא מוטבע בחותם לשכת הפטנטים ומושלם בסדר ובתאריך ההגשה, הנו אישור להגשת הבקשה שפרטיה רשומים לעיל.
This from, Impressed with the Seal of the Patent Office and indicating the number and date of filing, certifies the filing of the application the particulars of which are set out above.

Delete whatever is inapplicable את המיותר

לוח פלסטי

Plastic Board

Applicant: Dagan Automation Advanced
Applications (2002) Ltd.

Inventor : Zvi Barzilay

Patent Attorney: Marc Zuta

לוח פלסטי

Plastic Board

TECHNICAL FIELD

The present invention relates to plastic boards for the construction industry, and more particularly to such boards using a novel coating.

BACKGROUND OF THE INVENTION

Plastic boards made of foam and with a polymer coating find many uses in the construction industry. Such boards are used in the bathroom or other areas of high humidity, for example.

The boards may be any type of board used in the construction industry. For example, one can use the board known as Light Building Board, made of plastic foam such as XPS or EPS polystyrene. Other boards may be made of MDF or other materials.

The board is coated on both sides with a thin layer of plastic adhesive material. The coating may include a mixture of plastic adhesives, additives and cement/concrete, as known in the art.

The coating improves the mechanical strength of the board and its impact-related properties. The coating may include flame-retardant materials.

Preferably, the thin coating is applied over a mesh made of fiberglass or plastic.

The board can be made in various thickness values, for example about 2 cm (centimeters).

The board having the abovedetailed structure is light weight and has good thermal insulating properties, together with improved mechanical strength and machinability.

A possible problem with such prior art boards lies in reliably bonding of other construction parts to it. Such parts may include tiles, plaster, etc. Furthermore, it may be desired to reliably secure the board itself to a wall, a bathtub, etc.

It is an objective of the present invention to overcome the abovedetailed problems in plastic boards.

SUMMARY OF THE INVENTION

According to the present invention, there is provided a plastic board with means for achieving improved adherence properties to other parts used in the construction industry.

It has been found by the present inventor that the flat (planar) shape of the board's coating may not achieve the best adherence performance.

Accordingly, a new board structure has been devised, which has a domed shape - the board's external surface is made of tiny domes. Such domes achieve better bonding to other construction parts, for example including tiles, plaster, etc. Furthermore, better bonding of the board itself to walls, a bathtub, etc. may be achieved.

Furthermore, the coating is made thicker - between 1 mm and 5 mm, thus achieving improved performance.

A new method for manufacturing Light Building Boards has been devised as well.

Further objects, advantages and other features of the present invention will become obvious to those skilled in the art upon reading the disclosure set forth hereinafter.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 illustrates the structure of a Light Building Board

Fig. 2 details a cross-sectional view of a Light Building Board (prior art)

Fig. 3 details a cross-sectional view of a novel Light Building Board

DETAILED DESCRIPTION OF THE INVENTION

A preferred embodiment of the present invention will now be described by way of example and with reference to the accompanying drawings.

Fig. 1 illustrates the structure of a Light Building Board 1, comprising a foam board 12 with one or two of its sides coated with a thin layer 13 of a plastic adhesive or cement.

Preferably, the thin coating layer 13 includes a fiberglass or plastic mesh 14 therein.

This mesh 14 improves the mechanical properties of the board.

Fig. 2 details a cross-sectional view of a Light Building Board 1 in prior art. The coating 13 is thin, thus achieving a generally flat external surface 132. Such a surface makes it more difficult to attach other construction parts to the board.

Moreover, the thin coating 13 may not reliably hold the mesh wires 14 secured to the board 12, thus sometimes allowing the wires to become separated and the whole board structure 1 possibly getting loose.

Fig. 3 details a cross-sectional view of a novel Light Building Board 1.

The coating 13 is preferably thicker, thus forming little dome-like protrusions 133 over the external surface 132 of the board 1.

Thus, for example, for a board about 2 cm thick, a coating thickness of about 1 to 2 mm may be used.

The materials of the coating may include a mixture of adhesives, cement, inert materials for flow enhancement. Flame retardant materials may be included as well where necessary.

The coating is preferably made thicker than in prior art, between 1 mm and 5 mm, thus achieving improved performance.

The result - a board with an external surface of larger area, which can be reliably bonded to other construction parts.

Board manufacturing method

A preferred board manufacturing method includes:


- a. Applying a layer of coating over the board to be used in the construction industry
 - b. laying a fiberglass mesh over the board, within the coating
 - c. applying a second layer of coating
 - d. moving one or more spreading knives over the surface thus formed. An external surface including dome-like protuberances is thus manufactured.
- End of method.

It will be recognized that the foregoing is but one example of a board and method for its manufacture within the scope of the present invention and that various modifications will occur to those skilled in the art upon reading the disclosure set forth hereinbefore.

CLAIMS

What is claimed is:

1. A board for the construction industry comprising a base board coated with a thin layer of coating material, wherein an external surface of the coating has an enhanced area.
2. The board for the construction industry according to claim 1, wherein the base board is made of plastic or MDF.
3. The board for the construction industry according to claim 1, wherein the base board is made of a XPS or EPS polystyrene.
4. The board for the construction industry according to claim 1, wherein the external surface of the coating comprises a plurality of tiny dome-shaped protuberances.
5. The board for the construction industry according to claim 1, wherein the coating includes a mixture of plastic adhesives, additives and cement/concrete.



Marc Zuta,

Patent Attorney for Applicant

158675

1/3




Fig. 1

Prior Art




Fig. 2




Fig. 3